CABI BIOSCIENCE
EGHAM LIBRARY
22 JUL 2002

NEMATOLOGY

International Journal of Fundamental and Applied Nematological Research

Volume 3

Editors in Chief:
†1)Pierre Baujard
Roger Cook

Associate Editors
Pierre Abad, INRA, Antibes, France
Howard Ferris, University of California, Davis, USA
Bill Hominick, CABI Bioscience, Egham, England, UK
Bruce A. Jaffee, University of California, Davis, USA
Roland N. Perry, IACR Rothamsted, England, UK
James L. Starr, Texas A & M University, College Station, USA
David L. Trudgill, SCRI, Dundee, Scotland, UK

Honorary Editors
August Coomans, Gent, Belgium
Etienne Geraert, Gent, Belgium
Michel Luc, Neuilly-sur-Seine, France
Georges Merny, Damgan, France
Charles E. Taylor, Dundee, Scotland, UK
Thierry C. Vrain, Summerland, BC, Canada
†2)Bernhard Weischer, Münster, Germany

Editorial Board
Thomas H. Been, IPO-DLO, Wageningen, The Netherlands
John Bridge, CABI Bioscience, Egham, England, UK
David J. Chitwood, ARS-USDA, Beltsville, MD, USA
Paul De Ley, Instituut voor Dierkunde, Gent, Belgium
Dirk De Waele, University of Leuven, Heverlee, Belgium
Ken Evans, IACR Rothamsted, England, UK
Florian Grundler, Universität Kiel, Germany
Brian R. Kerry, IACR Rothamsted, England, UK
Didier Mugniéry, INRA, Le Rheu, France
Jochen Müller, BBA Institut für Nematologie, Münster, Germany
Charles E. Opperman, North Carolina State University, Raleigh, USA
Jorge Pinochet, IRTA, Barcelona, Spain
Thomas O. Powers, University of Nebraska, Lincoln, USA
Philip A. Roberts, University of California, Riverside, USA
Rodrigo Rodríguez-Kabána, Auburn University, Alabama, USA
Arjen Schots, Agricultural University, Wageningen, The Netherlands
Urs Wyss, Universität Kiel, Germany
Gregor W. Yeates, Landcare Research, Palmerston North, New Zealand
Ulrich Zunke, Institut für Angewandte Botanik, Hamburg, Germany

†1)Pierre Baujard died 4 December 2001
†2)Bernhard Weischer died 18 August 2001

BRILL
LEIDEN · BOSTON · KÖLN

Acknowledgements

The editors wish to thank the following colleagues who, not belonging to the Editorial Board, have served as referees for articles published in the present volume:

István Andrássy, Budapest, Hungary
Mario Araya, Guápiles, Costa Rica
Jens Aumann, Kiel, Germany
James Baldwin, Riverside, CA, USA
John Barrett, Aberystwyth, UK
David Bird, Raleigh, NC, USA
Teresa Bleve-Zacheo, Bari, Italy
Vivian Blok, Dundee, UK
Brian Boag, Dundee, UK
Sven Boström, Stockholm, Sweden
Helen Braasch, Kleinmachnow, Germany
Derek Brown, Dundee, UK
Ann Burnell, Maynooth, Ireland
Philippe Castagnone-Sereno, Antibes, France
Bob Clements, Okehampton, UK
Keith Davies, Rothamsted, UK
Klemens Ekschmitt, Giessen, Germany
Daniel Esmenjaud, Antibes, France
Godelieve Gheysen, Gent, Belgium
Eric Grenier, Le Rheu, France
Christine Griffin, Maynooth, Ireland
Gwyn Griffith, Aberystwyth, UK
David Hunt, Egham, UK
Richard Hussey, Athens, GA, USA
John Jones, Dundee, UK
Peter Jones, Cork, Ireland
Gerrit Karssen, Wageningen, The Netherlands
Harry Kaya, Davis, CA, USA
Karin Kiontke, Berlin, Germany
Marc Linit, Columbia, MO, USA
Christer Magnusson, Aas, Norway
Chris Mercer, Palmerston North, New Zealand
Tom Moens, Gent, Belgium
Manuel Mota, Evora, Portugal
Danamou Mounport, Dakar, Senegal
Paula Nash, Egham, UK
Khong Nguyen, Gainesville, FL, USA
Greg Noel, Urbana, IL, USA
David Orion, Bet-Dagan, Israel
Reyes Peña Santiago, Jaén, Spain
Mark Phillips, Dundee, UK
Edward Platzer, Riverside, CA, USA
George Poinar Jr, Corvallis, OR, USA
Alex Reid, Egham, UK
Roger Rivoal, Le Rheu, France
Robert Robbins, Fayetteville, AR, USA
Marie-Noelle Rosso, Wageningen, The Netherlands
Liliane Ruess, Darmstadt, Germany
Geert Smant, Wageningen, The Netherlands
Sergei Spiridinov, Moscow, Russia
Terrell Stamps, Columbia, MO, USA
Susan Turner, Belfast, UK
David Wharton, Dunedin, New Zealand
Denis Wright, Ascot, UK
Iain Young, Dundee, UK

The dates of publication of the previous issues of Nematology are as follows:

Vol. 2 (8) — 16 March 2001.
Vol. 3 (1) — 6 April 2001.
Vol. 3 (2) — 11 June 2001.
Vol. 3 (3) — 20 July 2001.
Vol. 3 (4) — 28 September 2001.
Vol. 3 (5) — 15 November 2001.
Vol. 3 (6) — 27 December 2001.
Vol. 3 (7) — 19 February 2002.

©Copyright 2001 by Koninklijke Brill NV, The Netherlands. All rights reserved. No part of this publication may be reproduced, translated, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of the publisher.

Authorisation to photocopy items for internal or personal use is granted by Brill provided that the appropriate fees are paid directly to Copyright Clearance Center, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. Fees are subject to change.

The journal is printed on acid-free paper.

ISSN 1388-5545
ISSN 1568-5411 [on line]

Printed in the Netherlands

Contents

Forum articles

HUGOT, J.-P., BAUJARD, P. & MORAND, S.— Biodiversity in helminths and nematodes as a field of study: an overview 199-208
KARSSEN, G. & VAN AELST, A.C.— Root-knot nematode perineal pattern development: a reconsideration 95-111

Articles

AHMAD, W. & STURHAN, D.— *Cricodorylaimus* gen. n. (Dorylaimida: Qudsianematidae), a unique nematode genus from Benin 237-241
AUMANN, J. & EHLERS, R.-U.— Physico-chemical properties and mode of action of a signal from the symbiotic bacterium *Photorhabdus luminescens* inducing dauer juvenile recovery in the entomopathogenic nematode *Heterorhabditis bacteriophora* 849-853
BALDWIN, J.G., DE LEY, I.T., MUNDO-OCAMPO, M., DE LEY, P., NADLER, S.A. & GEBRE, M.— *Acromoldavicus mojavicus* n. sp. (Nematoda: Cephaloboidea) from the Mojave Desert, California 343-353
BALDWIN, J.G., SOUZA, R.M. & DOLINSKI, C.M.— Fine structure and phylogenetic significance of a muscular basal bulb in *Basiria gracilis* Thorne, 1969 (Nematoda: Tylenchidae) 681-688
BAQRI, Q.H. & BOHRA, P.— Nematodes from Rajasthan, India. 1. Six new species of Dorylaimida 113-127
BEEN, T.H. & SCHOMAKER, C.H.— Ways to improve the accuracy of hatching tests for *Globodera* spp. with special emphasis on nematicide trials 773-795
BELL, N.L. & WATSON, R.N.— Optimising the Whitehead and Hemming tray method to extract plant parasitic and other nematodes from two soils under pasture 179-185
BELL, N.L. & WATSON, R.N.— Population dynamics of *Paratylenchus nanus* in soil under pasture: 1. Aggregation and abiotic factors 187-197
BELL, N.L. & WATSON, R.N.— Population dynamics of *Paratylenchus nanus* in soil under pasture: 2. Biotic factors and population modelling 255-265
BELL, N.L. & WATSON, R.N.— Dynamics of sympatric *Paratylenchus nanus* and *Paratrichodorus minor* populations in soil under pasture 267-275
BELL, N.L. & WATSON, R.N.— Identification and host range assessment of *Paratylenchus nanus* (Tylenchida: Tylenchulidae) and *Paratrichodorus minor* (Triplonchida: Trichodoridae) 483-490
CHEN, Q., ROBERTSON, L., JONES, J.T., BLOK, V.C., PHILLIPS, M.S. & BROWN, D.J.F.— Capture of nematodes using antiserum and lectin-coated magnetised beads 593-601
CHITAMBAR, J.J., BABAJANI, G. & MINASSIAN, V.— SEM observations and morphometrics of *Hemicycliophora belemnis* Germani & Luc, 1973 and *Paratylenchus bukowinensis* Micoletzky, 1922 (Nematoda: Criconematoidea) from Iran 743-751
DAUTOVA, M., ROSSO, M.-N., ABAD, P., GOMMERS, F.J., BAKKER, J. & SMANT, G.— Single pass cDNA sequencing – a powerful tool to analyse gene expression in preparasitic juveniles of the southern root-knot nematode *Meloidogyne incognita* 129-139
DEVINE, K.J., BYRNE, J. & JONES, P.W.— *In vitro* studies on the relative availability and mobility in soil of natural hatching factors for the potato cyst nematodes, *Globodera rostochiensis* and *G. pallida* 75-83
DEVINE, K.J. & JONES, P.W.— Effects of hatching factors on potato cyst nematode hatch and in-egg mortality in soil and *in vitro* 65-74
DEVINE, K.J. & JONES, P.W.— Potato cyst nematode hatching activity and hatching factors in inter-specific *Solanum* hybrids 141-149
DIOP, M.T., DIÉMÉ, J.-H., MOUNPORT, D. & BAUJARD, P.— Laboratory culture of two *Xiphinema americanum*-group species (Nematoda: Longidoridae) from Senegal 411-415
DOUCET, M.E., LAX, P., DI RIENZO, J.A., PINOCHET, J. & BAUJARD, P.— Temperature-induced morphometrical variability in an isolate of *Pratylenchus vulnus* Allen & Jensen, 1951 (Nematoda: Tylenchida) 1-8
EISENBACK, J.D. & HIRSCHMANN, H.— Additional notes on the morphology of *Meloidogyne spartinae* (Nematoda: Meloidogynidae) 303-312
ELBADRI, G.A.A., DE WAELE, D. & MOENS, M.— Reproduction of *Radopholus similis* isolates after inoculation of carrot disks with one or more females 767-771

© *Koninklijke Brill NV, Leiden, 2001*

FIORETTI, L., WARRY, A., PORTER, A., HAYDOCK, P. & CURTIS, R.— Isolation and localisation of an annexin gene (*gp-nex*) from the potato cyst nematode, *Globodera pallida* 45-54
FOURIE, H., MCDONALD, A.H. & LOOTS, G.C.— Plant-parasitic nematodes in field crops in South Africa. 6. Soybean 447-454
FOURIE, H., ZIJLSTRA, C. & MCDONALD, A.H.— Identification of root-knot nematode species occurring in South Africa using the SCAR-PCR technique 675-680
HANDOO, Z.A., CARTA L.K. & SKANTAR, A.M.— Morphological and molecular characterisation of *Pratylenchus arlingtoni* n. sp., *P. convallariae* and *P. fallax* (Nematoda: Pratylenchidae) 607-618
HASS, B., DOWNES, M.J. & GRIFFIN, C.T.— Correlation between survival in water and persistence of infectivity in soil of *Heterohabditis* spp. isolates 573-579
HUNT, D.J.— The African Carnoyidae (Nematoda: Rhigonematida). 1. *Brumptaemilius brevispiculus* sp. n. from Ghana with observations on copulatory plugs and spermatophore development 313-323
HUNT, D.J.— The African Carnoyidae (Nematoda: Rhigonematida). 2. *Martadamsonius aculeatus* sp. n. and *Waerebekeia debbiae* sp. n., with additional data on *Gilsonema venardi* (Van Waerebeke, 1984) 383-402
HUNT, D.J.— The African Carnoyidae (Nematoda: Rhigonematida). 3. Four new species of *Brumptaemilius* Dollfus, 1952 627-651
HUNT, D.J. & SPIRIDONOV, S.— A new genus of Carnoyidae (Nematoda: Rhigonematida) with descriptions of *Cattiena trachelomegali* gen. n., sp. n. and *C. trigoniuli* gen. n., sp. n., parasites of Spirobolida (Diplopoda) from Vietnam 559-571
HUNT, H.W., WALL, D.H., DECRAPPEO, N.M. & BRENNER, J.S.— A model for nematode locomotion in soil ... 705-716
IKONEN, E.K.— Population growth of two aphelenchid nematodes with six different fungi as food source 9-15
IKONEN, E.K.— Life history studies of the hermaphrodite *Acrobeloides* sp. with *Pseudomonas cepacia* as food source on agar 759-766
INSERRA, R.N., DUNCAN, L.W., TROCCOLI, A., DUNN, D., MAIA DOS SANTOS, J., KAPLAN, D.T. & VOVLAS, N.— *Pratylenchus jaehni* sp. n. from citrus in Brazil and its relationship with *P. coffeae* and *P. loosi* (Nematoda: Pratylenchidae) 653-665
JIKUMARU, S. & TOGASHI, K.— Transmission of *Bursaphelenchus mucronatus* (Nematoda: Aphelenchoididae) through feeding wounds by *Monochamus saltuarius* (Coleoptera: Cerambycidae) 325-333
JONZ, M.G., RIGA, E., MERCIER, A.J. & POTTER, J.W.— Partial isolation of a water soluble pheromone from the sugar beet cyst nematode, *Heterodera schachtii*, using a novel bioassay 55-64
KAISER, H. & DEIXELBERGER, P.— *Utriculimermis microcaudata* n. gen., n. sp., a new genus and species of Mermithidae (Nematoda) of the rivers Lafnitz and Teigitsch in the southeastern Austrian Alps 229-236
KANZAKI, N. & FUTAI, K.— Life history of *Bursaphelenchus conicaudatus* (Nematoda: Aphelenchoididae) in relation to the yellow-spotted longhorn beetle, *Psacothea hilaris* (Coleoptera: Cerambycidae) 473-479
KARANASTASI, E., DECRAEMER, W., ZHENG, J., MARTINS DE ALMEIDA, M.T. & BROWN, D.J.F.— Interspecific differences in the fine structure of the body cuticle of Trichodoridae Thorne, 1935 (Nematoda: Diphtherophorina) and review of anchoring structures of the epidermis 525-533
KEMPSTER, V.N., DAVIES, K.A. & SCOTT, E.S.— Chemical and biological induction of resistance to the clover cyst nematode (*Heterodera trifolii*) in white clover (*Trifolium repens*) 35-43
KIONTKE, K., MANEGOLD, A. & SUDHAUS, W.— Redescription of *Diplogasteroides nasuensis* Takaki, 1941 and *D. magnus* Völk, 1950 (Nematoda: Diplogastrina) associated with Scarabaeidae (Coleoptera) 817-832
KOK, C.J. (HANS), PAPERT, A. & HOK-A-HIN, C.H.— Microflora of *Meloidogyne* egg masses: species composition, population density and effect on the biocontrol agent *Verticillium chlamydosporium* (Goddard) 729-734
LAX, P. & DOUCET, M.E.— *Heterodera glycines* Ichinohe, 1952 (Nematoda: Tylenchida) from Argentina. 1. Morphological and morphometrical characterisation of second-stage juveniles 165-170
LAX, P. & DOUCET, M.E.— *Heterodera glycines* Ichinohe, 1952 (Nematoda: Tylenchida) from Argentina. 2. Morphological and morphometrical characterisation of males 543-549
LAX, P. & DOUCET, M.E.— *Heterodera glycines* Ichinohe, 1952 (Nematoda: Tylenchida) from Argentina. 3. Morphological and morphometrical characterisation of females 699-704
LOOF, P.A.A., COOMANS, A., BAUJARD, P. & LUC, M.— On five species of the genus *Xiphinema* Cobb, 1913 (Nematoda: Longidoridae) recently described from India 277-283
LÓPEZ-PÉREZ, A., ARIAS, M. & BELLO, A.— Trichodoridae (Nematoda: Triplonchida) from Spain 403-409

MAEHARA, N. & FUTAI, K.— Effect of the yellow-spotted longicorn beetle, *Psacothea hilaris*, and the developmental stages of the Japanese pine sawyer, *Monochamus alternatus*, on the life history of the pinewood nematode, *Bursaphelenchus xylophilus* 455-461
MANEGOLD, A. & KIONTKE, K.— The association of two *Diplogasteroides* species (Secernentea: Diplogastrina) and cockchafers (*Melolontha* spp., Scarabaeidae) 603-606
MCLEOD, R.W., KIRKEGAARD, J.A. & STEEL, C.C.— Invasion, development, growth and egg laying by *Meloidogyne javanica* in Brassicaceae crops and biofumigation 463-472
MILJUTIN, D.M. & TCHESUNOV, A.V.— On the histological anatomy of *Benthimermis megala* Petter, 1987, a giant nematode from the Norwegian deep-sea (Nematoda: Benthimermithidae) 491-502
MOKABLI, A., VALETTE, S., GAUTHIER, J.-P. & RIVOAL., R.— Influence of temperature on the hatch of *Heterodera avenae* Woll. populations from Algeria 171-177
MUGNIÉRY, D., FOUVILLE, D., DANTEC, J.-P., PELLÉ, R., ROUSSELLE-BOURGEOIS, F. & ELLISSÈCHE, D.— Résistance à *Globodera pallida* Pa2/3 chez *Solanum sparsipilum* 619-626
NAVAS, A., CASTAGNONE-SERENO, P., BLAZQUEZ, J. & ESPARRAGO, G.— Genetic structure and diversity within local populations of *Meloidogyne* (Nematoda: Meloidogynidae) 243-253
OCAÑA, A., ABOLAFIA, J. & ABEBE, E.— Descriptions of *Prodesmodora zullinii* n. sp., *P. nigra* n. sp. and *Chiloplectus loricatus* Andrássy, 1985 (Nematoda) from Spanish fir woodlands 209-218
OKA, Y.— Nematicidal activity of essential oil components against the root-knot nematode *Meloidogyne javanica* ... 159-164
OKA, Y., BEN-DANIEL, B.-H. & COHEN, Y.— Nematicidal activity of powder and extracts of *Inula viscosa* 735-742
PARK, J.-O., HARGREAVES, J.R., COLE, A.L.J., GHISALBERTI, E.L., GAMS, W. & SIVASITHAMPARAM, K.— Cuticular disruption and mortality of *Caenorhabditis elegans* exposed to culture filtrate of *Byssochlamys nivea* Westling 355-363
PEÑA SANTIAGO, R. & LIÉBANAS, G.M.— Nematodes of the order Dorylaimida from Andalucía Oriental, Spain. Two new species of the genus *Carcharodiscus* Andrássy, 1991, with a key to its species 515-523
PHAN, K.L., NGUYEN, N.C. & MOENS, M.— *Steinernema loci* sp. n. and *Steinernema thanhi* sp. n. (Rhabditida: Steinernematidae) from Vietnam 503-514
PLOEG, A.T. & PHILLIPS, M.S.— Damage to melon (*Cucumis melo* L.) cv. Durango by *Meloidogyne incognita* in Southern California 151-157
PLOEG, A.T. & STAPLETON, J.J.— Glasshouse studies on the effects of time, temperature and amendment of soil with broccoli plant residues on the infestation of melon plants by *Meloidogyne incognita* and *M. javanica* 855-861
POINAR JR, G.O.— *Heydenius brownii* sp. n. (Nematoda: Mermithidae) parasitising a planthopper (Homoptera: Achilidae) in Baltic amber 753-757
RILEY, I.T. & KELLY, S.J.— *Radopholus nativus* (Nematoda: Pratylenchidae), a potential economic pest of wheat in Western Australia 25-30
RIVOAL, R., BEKAL, S., VALETTE, S., GAUTHIER, J.-P., BEL HADJ FRADJ, M., MOKABLI, A., JAHIER, J., NICOL, J. & YAHYAOUI, A.— Variation in reproductive capacity and virulence on different genotypes and resistance genes of Triticeae, in the cereal cyst nematode species complex 581-591
ROLFE, R.N. & PERRY, R.N.— Electropharyngeograms and stylet activity of second stage juveniles of *Globodera rostochiensis* 31-34
SONG, J., SONG, Y., PENG, Y. & PLATZER, E.G.— Cryopreservation and low temperature storage of the preparasitic juveniles of *Romanomermis culicivorax* 417-421
SPEIJER, P.R. & DE WAELE, D.— Nematodes associated with East African Highland cooking bananas and cv. Pisang Awak (*Musa* spp.) in Central Uganda 535-541
SPEIJER, P.R., ROTIMI M.O. & DE WAELE, D.— Plant-parasitic nematodes associated with plantain (*Musa* spp., AAB-group) in southern Nigeria and their relative importance compared to other biotic constraints 423-436
STAMPS, W.T. & LINIT, M.J.— Interaction of intrinsic and extrinsic chemical cues in the behaviour of *Bursaphelenchus xylophilus* (Aphelenchida: Aphelenchoididae) in relation to its beetle vectors 295-301
STANTON, J., MUNDO-OCAMPO, M., BALDWIN, J.G. & KAPLAN, D.T.— *Radopholus musicola* n. sp., a new pathogenic species from Australia (Nematoda: Pratylenchidae) 689-698
STEWART, G.R., PERRY, R.N. & WRIGHT, D.J.— Occurrence of dopamine in *Panagrellus redivivus* and *Meloidogyne incognita* 843-848
SUBBOTIN, S.A., PENG, D.L. & MOENS, M.— A rapid method for the identification of the soybean cyst nematode *Heterodera glycines* using multiplex PCR 365-371

SUSURLUK, A., DIX, I., STACKEBRANDT, E., STRAUCH, O., WYSS, U. & EHLERS, R.-U.— Identification and ecological characterisation of three entomopathogenic nematode-bacterium complexes from Turkey 833-841
TOGASHI, K. & HOSHINO, S.— Distribution pattern and mortality of the white tip nematode, *Aphelenchoides besseyi* (Nematoda: Aphelenchoididae), among rice seeds 17-24
UEHARA, T., KUSHIDA, A. & MOMOTA, Y.— PCR-based cloning of two β-1,4-endoglucanases from the root-lesion nematode *Pratylenchus penetrans* 335-341
VAN DEN BERG, E. & TIEDT, L.R.— New records of Criconematoidea (Nemata) from South Africa, with the description of *Criconema zantene* n. sp. 797-815
WANG, S., RIGGS, R.D. & YANG, Y.— Grouping of populations of *Heterodera trifolii* by host preference and AFLP pattern 667-674
WESTPHAL, A. & BECKER, J.O.— Soil suppressiveness to *Heterodera schachtii* under different cropping sequences 551-558
ZAHID, M.I., NOBBS, J., GURR, G.M., HODDA, M., NIKANDROW, A., FULKERSON, W.J. & NICOL, H.I.— Effect of the clover root-knot nematode (*Meloidogyne trifoliophila*) on growth of white clover 437-446
ZHENG, J., PENG, D., ROBBINS, R.T. & BROWN, D.J.F.— Description of *Longidorus hangzhouensis* sp. n. (Nemata: Longidoridae) from Zhejiang province, new geographical records of *L. henanus* Xu & Cheng, 1992, and identification keys for *Longidorus* species occurring in China 219-227

Short communications

AKGÜL, H.C. & ÖKTEN, E.— A list of Tylenchida associated with poppy crops (*Papaver somniferum* L.) in Afyon region, Turkey 289-291
AL-HAZMI, A.S., COOK, R. & IBRAHIM, A.A.M.— Pathotype characterisation of the cereal cyst nematode, *Heterodera avenae*, in Saudi Arabia 379-382
BAIRD, S.E.— Strain-specific variation in the pattern of caudal papillae in *Caenorhabditis briggsae* (Nematoda: Rhabditidae); implications for species identification 373-376
CHARCHAR, J.M. & EISENBACK, J.D.— Improved preparation of perineal patterns of root-knot nematodes for Scanning Electron Microscopy 717-719
DOUCET, M.E., LAX, P., DI RIENZO, J.A. & SUAREZ, R.— Higher efficiency in processing soil samples for the assessment of *Heterodera glycines* populations 377-378
HUANG, X. & PLOEG, A.T.— Feeding of *Longidorus africanus* on sugarbeet (*Beta vulgaris*) and ryegrass (*Lolium perenne*) seedlings 85-88
KEHRES, J., DENON, D. & MAULÉON, H.— A simple technique to estimate, *in situ*, population densities of an entomopathogenic nematode (*Heterorhabditis indica*) in sandy soils 285-287
LOOF, P.A.A. & SKWIERCZ, A.T.— On *Aphelenchoides teres* (G. Schneider, 1927) Filipjev, 1934 (Nematoda) 863-864
LUC, M. & BAUJARD, P.— On specific determination within the *Xiphinema americanum* group (Nematoda: Longidoridae) 727-728
SOUSA, E., BRAVO, M.A., PIRES, J., NAVES, P., PENAS, A.C., BONIFÁCIO, L. & MOTA, M.M.— *Bursaphelenchus xylophilus* (Nematoda; Aphelenchoididae) associated with *Monochamus galloprovincialis* (Coleoptera; Cerambycidae) in Portugal 89-91
WANG, S., YU, C. & RIGGS, R.D.— The occurrence of tylenchid nematodes associated with vineyards and orchards in China 721-725

Obituary notice

Professor Dr Bernhard Weischer (Jochen Müller) 481-482

Announcement

Fourth International Congress of Nematology 293

Corrigendum

Corrigendum to *Annales Zoologici* 50(2) 2000 93

Authors index

Page numbers indicated by an asterisk (*) refer to first authors

Abad, P., 129
Abebe, E., 209
Abolafia, J., 209
Aelst, A.C. van, 95
Ahmad, W., *237
Akgül, H.C., *289
Al-Hazmi, A.S., *379
Arias, M., 403
Aumann, J., *849

Babajani, G., 743
Baird, S.E., *373
Bakker, J., 129
Baldwin, J.G., *343, *681, 689
Baqri, Q.H., *113
Baujard, P., 1, 199, 277, 411, 727
Becker, J.O., 551
Been, T.H., *773
Bekal, S., 581
Bel Hadj Fradj, M., 581
Bell, N.L., *179, *187, *255, *267, *483
Bello, A., 403
Ben-Daniel, B.-H., 735
Blazquez, J., 243
Blok, V.C., 593
Bohra, P., 113
Bonifácio, L., 89
Bravo, M.A., 89
Brenner, J.S., 705
Brown, D.J.F., 219, 525, 593
Byrne, J., 75

Carta, L.K., 607
Castagnone-Sereno, P., 243
Charchar, J.M., *717
Chau, N.N., 503
Chen, Q., *593
Chitambar, J.J., *743
Cohen, Y., 735
Cole, A.L.J., 355
Cook, R., 379
Coomans, A., 277
Curtis, R., 45

Dantec, J.-P., 619
Dautova, M., *129
Davies, K.A., 35
De Ley, I.T., 343
De Ley, P., 343
De Waele, D., 423, 535, 767
Decraemer, W., 525
DeCrappeo, N.M., 705
Deixelberger, P., 229
Denon, D., 285
Devine, K.J., *65, *75, *141
Diémé, J.H., 411
Diop, M.T., *411
Di Rienzo, J.A., 1, 377
Dix, I., 833
Dolinski, C.M., 681
Doucet, M.E., *1, 165, *377, 543, 699
Downes, M.J., 573
Duncan, L.W., 653
Dunn, D., 653

Ehlers, R.-U., 833, 849
Eisenback, J.D., *303, 717
Elbadri, G.A.A., *767
Ellissèche, D., 619
Esparrago, G., 243

Fioretti, L., *45
Fourie, H., *447, *675
Fouville, D., 619
Fulkerson, W.J., 437
Futai, K., 455, 473

Gams, W., 355
Gauthier, J.-P., 171, 581
Gebre, M., 343
Ghisalberti, E.L., 355
Gommers, F.J., 129
Griffin, C.T., 573
Gurr, G.M., 437

Handoo, Z.A., *607
Hargreaves, J.R., 355
Hass, B., *573
Haydock, P., 45
Hirschmann, H., 303
Hodda, M., 437
Hok-A-Hin, C.H., 729
Hoshino, S., 17
Huang, X., *85
Hugot, J.-P., *199
Hunt, D.J., *313, *383, *559, *627
Hunt, H.W., *705

Ibrahim, A.A.M., 379
Ikonen, E.K., *9, *759
Inserra, R.N., *653

Jahier, J., 581
Jikumaru, S., *325
Jones, J.T., 593
Jones, P.W., 65, 75, 141
Jonz, M.G., *55

Kaiser, H., *229
Kanzaki, N., *473
Kaplan, D.T., 653, 689
Karanastasi, E., *525
Karssen, G., *95
Kehres, J., *285
Kelly, S.J., 25
Kempster, V., *35
Kiontke, K., 603, *817
Kirkegaard, J.A., 463
Kok, C.J., *729
Kushida, A., 335

Lax, P., 1, *165, *543, *699
Liébanas, G.M., 515
Linit, M.J., 295
Long, P.K.., *503
Loof, P.A.A., *95, *277, *863
Loots, G.C., 447

© *Koninklijke Brill NV, Leiden, 2001*

López-Pérez, A., *403
Luc, M., 277, *727

Maehara, N., *455
Maia dos Santos, J., 653
Manegold, A., *603, 817
Martins de Almeida, M.T., 525
Mauléon, H., 285
McDonald, A.H., 447, 675
McLeod, R.W., *463
Mercier, A.J., 55
Miljutin, D.M., *491
Minassian, V., 743
Moens, M., 365, 503, 767
Mokabli, A., *171, 581
Momota, Y., 335
Morand, S., 199
Mota, M., 89
Mounport, D., 411
Mugniéry, D., *619
Müller, J., *481
Mundo-Ocampo, M., 343, 689

Nadler, S.A., 343
Navas, A., *243
Naves, P., 89
Nicol, H.I., 437, 581
Nikandrow, A., 437
Nobbs, J., 437

Ocaña, A., *209
Oka, Y., *159, *735
Ökten, M.E., 289

Papert, A., 729
Park, J.-O., *355
Pellé, R., 619
Peña Santiago, R., *515
Penas, A.C., 89
Peng, D.L., 219, 365
Peng, Y., 417
Perry, R.N., 31, 843
Phillips, M.S., 151, 593
Pinochet, J., 1
Pires, J., 89
Platzer, E.G., 417
Ploeg, A.T., 85, *151, *855
Poinar Jr, G.O., *753
Porter, A., 45
Potter, J.W., 55

Riga, E., 55
Riggs, R.D., 667, 721
Riley, I.T., *25
Rivoal, R., 171, *581
Robbins, R.T., 219
Robertson, L., 593
Rolfe, R.N., *31
Rosso, M.-N., 129
Rotimi, M.O., 423
Rousselle-Bourgeois, F., 619

Schomaker, C.H., 773
Scott, E.S., 35
Sivasithamparam, K., 355
Skantar, A.M., 607
Skwiercz, A.T., 863
Smant, F., 129
Song, J., *417
Song, Y., 417
Sousa, E., *89
Souza, R.M., 681
Speijer, P.R., *423, *535
Spiridonov, S., 559
Stackebrandt, E., 833
Stamps, W.T., *295
Stanton, J., *689
Stapleton, J.J., 855
Steel, C.C., 463
Stewart, G.R., *843
Strauch, O., 833
Sturhan, D., 237
Suarez, R., 377
Subbotin, S.A., *365
Sudhaus, W., 817
Susurluk, A., *833

Tchesunov, A.V., 491
Tiedt, L.R., 797
Togashi, K., *17, 325
Troccoli, A., 653

Uehara, T., *335

Valette, S., 171, 581
Van den Berg, E., *797
Vovlas, N., 653

Wall, D.H., 705
Wang, S., *667, *721
Warry, A., 45
Watson, R.N., 179, 187, 255, 267, 483
Westphal, A., *551
Wright, D.J., 843
Wyss, U., 833

Yahyaoui, A., 581
Yang, Y., 667
Yu, C., 721

Zahid, M.I., *437
Zheng, J., *219, 525
Zijlstra, C., 675
Zullini, A., 93

Subject index

16S rRNA sequence 833
2-furaldehyde 159

Abies pinsapo 209
absorption spectrophotometry 55
acetylcholine receptor 849
Acidovorax delafieldii 729
Acrobeloides sp. 759
Acromoldavicus mojavicus n. sp. 343
Actinida sp. 721
Activity Index 187, 267
adaptation to temperature 767
adrenaline 843
AFLP markers 667
Africa 237, 383, 447, 535, 627, 675, 767, 797
Africa, North 171
Afrocarnoya fimbriifer 313
agar culture 85
aggregation 17
Agrobacterium 729
Algeria 171
allozymes 243
amber, Baltic 753
amphids 45
Ananas comosus 721
anion exchange capacity 75
annexin gene 45
antagonistic plant 735
Anthurium 767
antifungal activity 355
antiserum 593
Aphelenchida 295
Aphelenchoides besseyi 17
Aphelenchoides bicaudatus 9
Aphelenchoides chalonus 863
Aphelenchoides teres 863
Aphelenchoididae 295, 325
Aphelenchus 863
Aphelenchus avenae 9, 735
applemint, see *Mentha rotundifolia*
arable soil 237
Arachis hypogaea 411
Araeolaimida 209
Argentina 165, 543
Atalodera 95
Australia 437, 689, 767
Australia, Western 25
Austria 229
autapomorphy 343
Avena sativa 379

Bacillus cereus 35
bacterial-feeding 759
bait test 285
Baltic amber 753
bamboo 219
banana, see *Musa*
banana, East African Highland cooking 535
banana weevil, see *Cosmopolites sordidus*
barley, see *Hordeum vulgare*
basal temperature 187
Basiria gracilis 681
behaviour 55, 295
Belgium 767
Bellodera 95
Benin 237
Benthimermis megala 491
Benthimermithidae 491
benzaldehyde 159
Beta vulgaris 55
Beta vulgaris subsp. *cicla* 551
beta-1,4-endoglucanase 335
bioassay 55, 65, 141
biocontrol 729, 833, 849
biodiversity 171, 199
biofumigation 463, 855
biology 767
biomass 255
Black Sigatoka 423
blue grass, see *Poa pratensis*
botanical nematicide 735
Brassica juncea 463
Brassica napus 463
Brassica oleracea 463
Brassica rapa 463
Brassica rapifera 463
Brassica spp. 463
Brassicaceae 463
Brazil 653
broccoli plant residues 855
Brumptaemilius 627
Brumptaemilius antoinettae sp. n. 627
Brumptaemilius brevispiculus sp. n. 313
Brumptaemilius imbricatus sp. n. 627
Brumptaemilius nigelus sp. n. 627
Brumptaemilius ugandae sp. n. 627
Byssochlamys nivea 355
bulk density 705
burrowing nematode, see *Radopholus similis*
Bursadera 95
Bursaphelenchus conicaudatus 473
Bursaphelenchus mucronatus 325
Bursaphelenchus xylophilus 89, 295, 325, 455, 473

Caenorhabditis briggsae 373
Caenorhabditis clavopapillata 373
Caenorhabditis elegans 45, 355, 373
Caenorhabditis remanei 373
Calathea 767
Camellia japonica 219
cantaloupe, see *Cucumis melo*
caraway, see *Carum carvi*
Carcharodiscus 515
Carcharodiscus banaticus 515
Carcharodiscus bediensis 515
Carcharodiscus dentatus 515
Carcharodiscus eximius 515
Carcharodiscus formosus 515
Carcharodiscus lucidus 515
Carcharodiscus olearum sp. n. 515
Carcharodiscus procerus sp. n. 515
Carcharodiscus ramirezi 515
Carcharodiscus symmetricus 515
Carica papaya 721
Carnoyidae 313, 383, 559, 627

© *Koninklijke Brill NV, Leiden, 2001*

carrot disk culture 767
Carum carvi 159
carvacrol 159
cassava, see *Manihot esculenta*
Castanea mollissima 721
catecholamine 843
Cattiena gen. n. 559
Cattiena trachelomegalae sp. n. 559
Cattiena trigoniulae sp. n. 559
caudal papillae 373
cDNA 335
cDNA sequences 129
cellulase 335
Cephalobina 681
Cephaloboidea 343
Cerambycidae 89, 295, 325, 455, 473
cereal cyst nematode, see *Heterodera avenae*
cereal cyst nematode species complex, see *Heterodera* spp.
character evolution 373
chemical attraction 295
Chiloplectus loricatus 209
China 219, 721
China, Beijing 219
China, Fuyang 219
China, Hangzhou 219
China, Shanxi 219
China, Zhejiang 219
chitinase 129
Chromadorida 209
chromatography 141
citrus, see *Citrus aurantium*
Citrus aurantium 653
Citrus reticulata 721
Cladosporium cladosporioides 9
Cladosporium herbarum 9
clover cyst nematode, see *Heterodera trifolii*
clover root-knot nematode, see *Meloidogyne trifoliophila*
Clausena lansium 721
cockchafer, see *Melolontha*
Coleoptera, Cerambycidae 89, 295, 325, 455, 473
Coleoptera, Scarabaeidae 603, 817
competition 25, 267
control 65, 75, 855
Convallaria majalis 607
copulatory plugs 313
Coridothymus capitatus 159
Cosmopolites sordidus 423
Costa Rica 767
costic acid 735
cowpea, see *Vigna unguiculata*
Crataegus sp. 721
Cricodorylaimus gen. n. 237
Cricodorylaimus africanus sp. n. 237
Criconema 797
Criconema pauciannulatum 797
Criconema princeps 797
Criconema robustus 721
Criconema zantene n. sp. 797
Criconematoidea 743, 797
Criconemoides profusus 721
crop rotation 551
cryopreservation 417
Cryphodera brinkmani 95
Cuba 767
Cucumis melo 151, 855
cuticle 95, 355, 491, 525
Cylindrocarpon olidum 729
cyst extraction 377
cysts 365

Dactylis 483
Dactylis glomerata 483
damage function 151
dauer juvenile 849
description 113, 219, 229, 237, 491, 503, 515, 559, 817
development 463, 619
Dianthus caryophyllus 667
diapause 65, 171
Digitaria sanguinalis 255
Dinocarpus longana 721
Diospyros kaki 721
Diplenteron sp. 681
Diplogasteroides (*Rhabdontolaimus*) *berwigi* 817
Diplogasteroides magnus 603, 817
Diplogasteroides melolonthae 603
Diplogasteroides nasuensis 817
Diplogasteroides spp. 603
Diplogastrina 603, 681, 817
diplopods 383, 559, 627
Dirhabdilaimus 817
dispersal form 455
dispersal pattern 473
distribution 25, 289, 403
Ditylenchus africanus 447
Ditylenchus dipsaci 735
dopamine 843
Dorylaimida 113, 237, 515
duplex PCR 365
Dynabeads 593

East African Highland cooking bananas 535
ecological characterisation 833
ecotypes 171
ectoparasite 17
egg laying 463
egg mass 729
Ekphymatodera 95
Elaphonematidae 343
electropharyngeograms 31
endophytic fungus 483
Enterobacteriaceae 849
entomopathogenic nematode, see *Heterorhabditis and Steinernema*
entomopathogenic nematode-bacterium complex 833
epidermis 525
Eriobotrya sp. 721
error components 773
EST 129
evolution 243, 681
expressed gene tags 129
expressed sequence tags, see EST
extraction duration 179

feeding preference 473
fennel, see *Foeniculum vulgare*
Festuca 483
Festuca arundinacea 483, 607
field assay 285
field experiment 65, 151
fir, see *Abies pinsapo*
fluorescent pseudomonads 35
Foeniculum vulgare 159
food signal 849
fossil 753
Fragaria vesca 721
freshwater nematode 229

fruit trees 721
Fuchsnema 817
fungal cultures 9
Fusarium chlamydosporum 9
Fusarium oxysporum 355

Gaeumannomyces graminis var. *tritici* 355
Galleria-trap 285
Gastromermis 229
gene expression 129
gene function 129
genetic distance 243
genital primordium 45
genotypes 581
Geocenamus sp. 721
geographic range 607
geographical distribution 721
Germany 767
Ghana 313, 767
Gilsonema venardi 313, 383
Ginkgo biloba 721
Globodera 593
Globodera pallida 45, 65, 75 141, 619, 773
Globodera rostochiensis 35, 65, 75, 141, 773
glucosinolates 463
Glycine max 447, 699
glycoprotein 593
glycosyl hydrolases 335
gramine 31
grapevine, see *Vitis vinifera*
growth 437, 463
Guinea 767

hatch 65, 75, 141
hatching activity 141
hatching curve 773
hatching cycles 171
hatching factors 65, 75, 141
hatching statistic 773
heat tolerance 833
Helicotylenchus digonicus 447
Helicotylenchus dihystera 447, 721
Helicotylenchus exallus 721
Helicotylenchus microcephalus 447
Helicotylenchus multicinctus 423, 535
Helicotylenchus pseudorobustus 447, 721
Helicotylenchus sp. 255
helminthology 199
Hemicriconemoides sinensis 721
Hemicycliophora belemnis 743
hemidesmosome 525
Heterodera 267, 721
Heterodera avenae 171, 379, 581
Heterodera cajani 365
Heterodera ciceri 365
Heterodera filipjevi 581
Heterodera glycines 165, 365, 377, 543, 699
Heterodera latipons 581
Heterodera medicaginis 365
Heterodera schachtii 55, 365, 551
Heterodera sp. 255
Heterodera spp. 581
Heterodera trifolii 35, 179, 187, 255, 365, 667
Heteroderidae 95
Heteroderinae 721
Heterorhabditis bacteriophora 573, 833, 849
Heterorhabditis downesi 573
Heterorhabditis indica 285, 833
Heterorhabditis megidis 573, 833
Heterorhabditis spp. 573
Heydenius brownii sp. n. 753
Hirschmanniella teres 863
histology 491
Holcus lanatus 187
hologonic ovary 491
Homoptera, Achilidae 753
Hoplolaimus 721
Hoplolaimus pararobustus 423
Hordeum vulgare 379
host 721
host crop 551
host plant 403, 411
host preference 667
host range 437, 483, 689
host reaction 581
host status 463
host-parasite relations 85
host-parasite relationship 667
HPLC 55
hybridisation 653
Hydromermis 229
Hylonema 95
hyporheic biotope 229
Hypsoperine 303

identification 1, 365, 373, 403, 437, 483, 593, 675, 727, 833
immunological detection 593
India 113, 277
India, Rajasthan 113
Indonesia 767
Indonesia, Java 653
induced systemic resistance 35
in-egg mortality 65
infectivity 417, 573
infestation 855
inheritance 141
insect 753
insect vector 89
integrated control 65, 151
interspecific variation 525, 573
intraspecific variation 1, 573, 619
Inula viscosa 735
invasion 463
inversely density-dependent mortality 17
Iran 743
Ireland 75, 141
isocostic acid 735
isozymes 243
Ivory Coast 383

Japan 325
Japanese pine sawyer, see *Monochamus alternatus*
Juglans regia 721

key to *Carcharodiscus* 515
Kochinema caudatum n. sp. 113
Kochinema crassatum 113
Kochinema farodai n. sp. 113
Kochinema proamphidium 113
Kochinema secutum 113
Kochinema tenue 113

Lanceimermis 229
lesion nematode, see *Pratylenchus zeae*
life cycle 603, 759, 767

life cycle strategy 455
life history 473, 759
life stages 255
light microscopy 303
Limnomermis 229
lipid 295
Litchi chinensis 721
Lolium 483
Lolium multiflorum 483
Lolium perenne 55, 187, 255, 267, 483
Longidorus africanus 85
Longidorus belondiroides 219
Longidorus camelliae 219
Longidorus fangi 219
Longidorus fursti 219
Longidorus hangzhouensis n. sp. 219
Longidorus henanus 219
Longidorus jiangsuennsis 219
Longidorus jonesi 219
Longidorus litchii 219
Longidorus macromucronatus 219
Longidorus martini 219
Longidorus moniloides 219
Longidorus pawneensis 219
Longidorus pisi 447
Longidorus spp. 85
low temperature storage 417
Lupinus 25
Lycopersicon esculentum 159

magnetised beads 593
maize, see *Zea mays*
Malus baccata 721
Malus spectabilis 721
Mangifera indica 721
Manihot esculenta 237
marine nematodes 491
Martadamsonius aculeatus sp. n. 383
Masseyus 817
mating 55, 653
Meloidogyne 95, 129, 151, 179, 593, 675, 717, 729, 855
Meloidogyne arenaria 243
Meloidogyne ardenensis 95
Meloidogyne arenaria 95, 675
Meloidogyne chitwoodi 95, 675
Meloidogyne coffeicola 95
Meloidogyne decalineata 95
Meloidogyne duytsi 95
Meloidogyne ethiopica 447
Meloidogyne fallax 95, 675, 729
Meloidogyne hapla 95, 447, 675, 729
Meloidogyne incognita 95, 129, 151, 243, 447, 675, 843, 855
Meloidogyne indica 95
Meloidogyne javanica 95, 159, 243, 447, 463, 675, 735, 855
Meloidogyne kralli 95
Meloidogyne maritima 95
Meloidogyne nataliei 95
Meloidogyne propora 95
Meloidogyne sp. 187, 255, 267
Meloidogyne spartinae 303
Meloidogyne spp. 423, 447, 675, 721
Meloidogyne trifoliophila 437
Meloinema kerongense 95
Melolontha hippocastani 603, 817
Melolontha spp. beetles 603, 817
melon, see *Cucumis melo*
Mentha rotundifolia 159
Mermithida 417
Mermithidae 229, 753
Mesocriconema 797
Mesocriconema dherdei 797
Mesocriconema rusticum 721
Mesocriconema sphaerocephalum 447
Mesodorylaimus adalbarti 113
Mesodorylaimus bhansalii n. sp. 113
Mesodorylaimus chekiangensis 113
Mesodorylaimus cognatus 113
Mesodorylaimus kauli n. sp. 113
Mesodorylaimus nigriitulus 113
Mesodorylaimus parasubtilis 113
Mesodorylaimus vulneratus 113
metabolites 355
microflora 729
millet, see *Pennisetum typhoides*
miniaturised screening assays 581
minimum yield 151
model 705
modelling 773
molecular diagnostics 607
Monochamus alternatus 455
Monochamus carolinensis 295
Monochamus galloprovincialis 89
Monochamus saltuarius 325
Monochamus spp. beetles 473
morphology 95, 165, 303, 343, 515, 543, 653, 689, 699, 743
morphometrics 1, 113, 165, 219, 229, 237, 483, 503, 543, 559, 607, 653, 699, 743
mortality 355
Morus alba 721
Morus bombysis 455, 473
moulting 95
multiplication rate 411
Musa 535, 689
Musa nana 721
Musa spp. 423, 767
muscarinic pathway 849
Mycosphaerella fijiensis 423

Nacobbodera 95
Nacobbus aberrans 95
necromeny 603
needle nematode, see *Longidorus* spp.
nematicidal activity 355, 735
nematicide trials 773
nematode laboratory culture 759
nematode locomotion in soil 705
nematode population growth pattern 9
nematode populations 535, 675
nematology 199
Neoaplectana 817
Neodiplogasteroides 817
Neotyphodium sp. 483
neurotransmitter 31, 843
new combination 383
new genus 229, 237, 559
new host records 483
new records 797
new species 113, 209, 219, 229, 237, 313, 343, 383, 503, 515, 559, 607, 627, 689, 753, 797
New Zealand 187
Nicotiana tabacum 243
Nigeria 423, 627

nomenclature 863
noradrenaline 843
North Africa, see Africa, North
Northern Ireland 141
Norway 491

oat, see *Avena sativa*
oilseed radish, see *Raphanus sativus* var. *oleiferus*
Olea europaea 721
Ophiostoma minus 455
optimisation 705
orchards 721
oregano, see Oregano
Oregano syriacum 159
Oregano vulgare 159
Oryza sativa 17
Osmanthus delayavi 219

Paecilomyces carneus 729
Paecilomyces sp. 355
Panagrellus redivivus 843
Panama 767
p-anisaldehyde 159
Papaver somniferum 289
parasites 491, 559
parasitic fitness 581
parasitic nematodes 491
parasitism 753
parasitism gene 129
Paratrichodorus 403, 525
Paratrichodorus anemones 403, 525
Paratrichodorus hispanus 403, 525
Paratrichodorus minor 267, 403, 447, 483, 525
Paratrichodorus pachydermus 403, 525
Paratrichodorus porosus 525
Paratrichodorus teres 403, 525
Paratylenchus 721, 797
Paratylenchus bukowinensis 743
Paratylenchus nanus 179, 187, 255, 267, 483
Paratylenchus straeleni 797
parthenogenesis 243
pasture 267
pathogenicity 607
pathotype 379, 581, 619
PCR-based cloning 335
peanut, see *Arachis hypogaea*
Penicillium restrictum 9
Penicillium simplicissimum 9
Pennisetum typhoides 113, 411
perennial ryegrass, see *Lolium perenne*
perineal pattern 717
perineum 95
persistence 573
Perutilimermis 229
pest management 551
pharyngeal glands 681
pheromone 55
Philodendron 767
phoresy 325
phoretic host 473
Photorhabdus luminescens 833, 849
Phreatomermis 229
phylogenetics 681
phylogeny 243, 681, 689
Phytophthora cinnamomi 355
pine wilt (disease) 325, 455, 473
pinewood nematode (PWN), see *Bursaphelenchus xylophilus*
Pinus densiflora 325, 455
Pinus pinaster 89
Piper nigrum 767
plant growth 423
plant roots 255
Plantago lanceolata 255, 267
plant-parasitic nematodes 129, 289, 335, 411, 423, 447, 721
plantain, see *Musa* spp.
planthopper 753
Poa 483
Poa annua 187, 255, 267, 483
Poa pratensis 607
Poa trivialis 255
polytomous key 219, 727
poplar, see *Populus*
poppy crops, see *Papaver somniferum*
population 743
population age index 255
population characteristics 767
population densities 285
population dynamics 151, 187, 255, 267
population modelling 255
Populus sp. 219
Portugal 89
pot experiment 151, 159
potato cyst nematode, see *Heterodera and Globodera*
potato root leachate 141
potato, see *Solanum*
Pratylenchidae 653
Pratylenchoides alkani 721
Pratylenchus 1, 25, 179, 267, 335, 653, 721, 797
Pratylenchus arlingtoni n. sp. 607
Pratylenchus brachyurus 447
Pratylenchus coffeae 423, 653
Pratylenchus convallariae 607
Pratylenchus crenatus 447, 607
Pratylenchus fallax 607
Pratylenchus goodeyi 535
Pratylenchus jaehni sp. n. 653
Pratylenchus loosi 653
Pratylenchus mediterraneus 735
Pratylenchus neglectus 447
Pratylenchus penetrans 335
Pratylenchus scribneri 721
Pratylenchus sp. 255
Pratylenchus teres 447
Pratylenchus thornei 447
Pratylenchus vulnus 1
Pratylenchus zeae 447, 607, 653
predation by nematophagous mites 759
Prodesmodora nigra n. sp. 209
Prodesmodora zullinii n. sp. 209
productivity 759
prominence values (PV) 447
protractor muscles 31
Prunus armeniaca 721
Prunus persica 721
Prunus pseudocerasus 721
Prunus salicina 721
Psacothea hilaris 455, 473
Pseudocydocydonia sinensis 721
Pseudodiplogaster 817
Pseudomermis 229
Pseudomonas 35
Pseudomonas cepacia 759
Psidium guajava 721
pulegone 159
Pyrus ussuriensis 721

Pythium irregulare 355

quantification 593
quarantine 607
Qudsianematidae 237
quiescence 65

RACE-PCR 335
races 667, 699
Radopholus bridgei 689
Radopholus musicola n. sp. 689
Radopholus similis 423, 535, 689, 767
Radopholus nativus 25
rainfall 187, 267
random sequencing 129
Raphanus sativus 463
Raphanus sativus var. *oleiformis* 551
rearing 411
rectal glands 95
regression model 255
reproduction 767
reproduction rate 689
reproductive capacity 581
resistance 35, 379, 551, 619, 667
resistance genes 581
RFLPs 503
Rhabditina 681
Rhabditolaimus 817
Rhabdontolaimus 603, 817
Rhigonematida 313, 383, 559, 627
Rhizoctonia solani 355
Rhizonema 95
ribosomal DNA 343, 607, 675
rolling fulcrum model 295
Romanomermis culicivorax 417
Romanomermis yunanensis 417
root damage 423, 535
root-knot nematode, see *Meloidogyne*
root leachate 65, 75
root-lesion nematode, see *Pratylenchus*
root tip galling 85
Rotylenchulus 721
Rotylenchus 721
Rotylenchus parvus 447
Rotylenchus unisexus 447, 721
Rumex crispus 667
Rumex obtusifolium 267
ryegrass, see *Lolium perenne*

salicylic acid 35
sandy soils 285
Sarisodera 95
Saudi Arabia 379
Scanning Electron Microscopy, 95, 165, 303, 313, 343, 383, 491, 503, 543, 559, 627, 699, 717, 743, 817
Scarabaeidae 603, 817
SCAR-PCR 675
screening assay 581
Scutellonema brachyurus 447
Scutellonema clathricaudatum 721
Scutellonema truncatum 447
Scutellonema unum 721
seasonal periodicity 267
Secernentea 681
second stage juveniles 365
secretion 45, 129
seed-borne 17
Seinhorst equations 151
SEM, see Scanning Electron Microscopy
Senegal 383, 411
serotonin 31
sesquiterpenic acid 735
sex ratio 619
Sieglengia sp. 187
sieving and decanting 179
simulation model 705
Sinapis alba 463
soil 65
soil amendment 855
soil depth 187, 255
soil heating 855
soil moisture 411, 833
soil nutrients 187
soil organic matter 75
soil pore space 705
soil sieving 705
soil storage 179
soil temperature 187, 255, 267, 411
soil texture 705
soil treatment 159
Solanum 65, 75, 141
Solanum gourlayi 141
Solanum hybrids 141
Solanum kurtzianum 141
Solanum oplocence 141
Solanum sparsipilum 619
Solanum sucrense 141
Solanum tuberosum 141, 619
solarisation 855
sorghum, see *Sorghum vulgare*
Sorghum vulgare 113, 411
South Africa 447, 627, 675, 767, 797
soybean, see *Glycine max*
soybean cyst nematode, see *Heterodera glycines*
Spain 209, 243, 403, 515
species inquirenda 627
species inventory 199
species-specific primers 365
spermatheca 607
spermatophore 627
spermatophore development 313
Spirobolida 559, 627
spontaneous hatch 65
Sri Lanka 653
Steinernema arenarium 503
Steinernema carpocapsae 833
Steinernema feltiae 503, 833
Steinernema glaseri 503
Steinernema karii 503
Steinernema kraussei 503
Steinernema loci sp. n. 503
Steinernema longicaudum 503
Steinernema neocurtillae 503
Steinernema oregonense 503
Steinernema thanhi sp. n. 503
Stellaria media 255
strain-specific variation 373
stylet activity 31
stylet thrusting 55
subcuticular structures 95
Sudan 767
sugar beet, see *Beta vulgaris*
sugar beet cyst nematode, see *Heterodera schachtii*
suicide hatch 65
survey 423, 447, 535
survival 417, 573
susceptibility 551, 667
sweet-scented osmanthus 219

Swiss chard 551
synonymisation 817
systemic acquired resistance 35

tall fescue, see *Festuca arundinacea*
Taraxacum officinale 255, 267
taxonomic status 277
taxonomy 1, 113, 199, 219, 229, 237, 243, 303, 313, 343, 383, 491, 515, 559, 627, 653, 689, 743, 797, 833, 863
Taylor's Power Law 187
technique 285, 377, 717, 593
TEM, see Transmission Electron Microscopy
temperature 171, 187, 267, 767
temporal pattern 325
Teratocephalus lirellus 681
Tetramermis 229
thyme, see *Coridothymus capitatus*
tissue thickness 179
tobacco, see *Nicotiana tabacum*
tolerance 151
tomato, see *Lycopersicon esculentum*
tomato root leachate 65, 75
trans-anethole 159
trans-cinnamaldehyde 159
transmission 325
Transmission Electron Microscopy 491, 525
Trichoderma harzianum 729
Trichodoridae 403, 483, 525
Trichodorus 403, 525, 525
Trichodorus beirensis 403
Trichodorus cylindricus 403, 525
Trichodorus giennensis 403
Trichodorus lusitanicus 403
Trichodorus nanjingensis 525
Trichodorus pakistanensis 525
Trichodorus primitivus 403, 525
Trichodorus similis 403
Trichodorus sparsus 403
Trichodorus viruliferus 403
Trifolium 483
Trifolium pratense 483
Trifolium repens 35, 187, 255, 267, 437, 483
Trifolium subterraneum 483
Triplonchida 483
Triticeae 581
Triticum 581
Triticum aestivum 25, 113, 379, 551
Trophomermis 229
trophosome 491
tropical America 653
Turkey 289, 833
Tylenchida 483, 681, 721
Tylencholaimus annulatus n. sp. 113
Tylencholaimus crassus 113
Tylencholaimus nagauriensis n. sp. 113
Tylencholaimus obscurus 113
Tylencholaimus pusillus 113
Tylencholaimus suryawanshii 113
Tylenchorhynchus brassicae 721
Tylenchorhynchus goffarti 447
Tylenchulidae 483
Tylenchulus 721
Tylenchulus semipenetrans 735

Uganda 535, 627, 767
ultrastructure 525, 681
United Kingdom 75
United States of America, California 151, 343
United States of America, Virginia 607
Utriculimermis n. gen. 229
Utriculimermis microcaudata n. sp. 229

variability 165, 543, 699, 743
vector selection 473
vectors 295
vertical distribution 267
Verticillium chlamydosporium 729
Vietnam 503, 559
Vigna unguiculata 411
vineyards 721
virulence 379, 581, 619
Vitis vinifera 219, 721
vulva-anus region 95

Waerebekeia debbiae sp. n. 383
Waerebekeia sp. 313
wheat, see *Triticum aestivum*
white clover, see *Trifolium repens*
white-tip nematode, see *Aphelenchoides besseyi*
woodlands 209

Xiphinema americanum group 411, 727
Xiphinema arunachalense 277
Xiphinema basiri 277
Xiphinema brasiliense 277
Xiphinema brevicollum 277
Xiphinema digicaudatum 277
Xiphinema elongatum 447
Xiphinema gracilicaudatum 277
Xiphinema larliani 277
Xiphinema pruni 277
Xiphinema radicicola 277
Xiphinema simillimum 277
Xiphinema vanderlindei 447

yellow-spotted longicorn beetle, see *Psacothea hilaris*
yield 151
yield loss 437

Zaire 383
Zea mays 113
Zeldia punctata 681
Zimbabwe 627
Ziziphus jujuba 721